

KEE HING CHEUNG KEE CO., LTD.
DLFTZ CHANG HING KEE
INT'L INDUSTRY & TRADE CO., LTD.



Armored Cash Vehicle

Cash-in-Transit vehicles

☆ All our cash in transit vehicles are made strictly in accordance with Chinese Protection Specification for Cash Carrying Vehicles, the standard of China GA164-2005, and passed ballistic tests carried out by Chinese relevant authorities.

Protection Specification for Cash Carrying Vehicles China GA164-2005

☆ GA164-2005 standard has three protection levels according to different ballistic and riot-proof performance, which are: Level A, Level B and Level C, please be kindly noted, only the drive cab and escorting cab are ballistic protected, the cash cabin is not ballistic protected but with anti-riot performance as described below.

Tested Parts	Level	Weapon	Bullet	Distance	Velocity	Shots
Transparent Armor and Opaque Armor	A & B	79 type 7.62mm light sub-machinegun	51B, 7.62mm, Handgun bullet	5m	490-515 (m/s)	3
				10m		3
				15m		3
	C	56 type 7.62mm sub machinegun	56 style, 7.62mm Ordinary bullet	10m	710-735 (m/s)	3
				15m		3
				30m		3

Above ballistic protections are applied to **PASSENGER AREAS ONLY**

Anti-Riot Performance Requirements for Cash Cabin:

☆ Under a condition of parking and engine-off, the cash box can not be taken out of cash cabin under ruinous attack at the vehicle's weak parts by stated tools within net work time of 30 minutes.


Stated tools (anti-riot performance level which refers to cash cabin only):

- ☆ Level A: hammer (3.6kg), pickax, axe with 800mm long stick; crowbar and similar tools (less than 600mm), chisel and similar tools (360-400mm); hand-hold hacksaw, screwdriver, file, pliers, spanner; portable electric drill with 2mm and 12mm alloy drill head.
- ☆ Level B: Level A plus industrial acetylene cutting or incision.
- ☆ Level C: Level B plus TNT test (total weight of TNT 227g, density 1.56g/cm³, two deploying positions x 113g/each position, the time used for TNT deploying shall be within the net work time of 30 minutes.)

Ammunitions mentioned in this brochure:



54 type handgun.
51 style 7.62mm bullets
Velocity: 420-450m/s



79 type submachine gun
51 style 7.62mm hand gun bullets
Velocity: 480-515m/s



56 type sub machinegun
7.62mm steel bullet
Velocity 710-735m/s

1. SUV Serials,

Ballistic Performance for passenger area: Level A, anti-riot performance for cash cabin: Level A

Nissan Paladin



Technical specifications:

Product Code	KHCK5021XYCR1
Chassis Mode	ZN6452WAG3
Base Vehicle Manufacturer	ZHENGZHOU NISSAN, CHINA
Seating Capacity	5(4)
Dimensions (LxWxH)(mm)	4550 (4735) x 1840 x 1880 (1765)
Wheel Base(mm)	2650
Wheel Tread(mm)(F/R)	1525/1505
Cash Cabin Volume (m ³)	0.63
Full Loaded Weight (kg)	2300
Curb Weight (kg)	1840
Load Capacity (kg)	460
Fuel Consumption (L/100km)	12.4
Min. Steering Dia. (m)	11.4
Min. Ground Clearance (mm)	215
Engine Model	KA24
Engine Type	Water cooling, gasoline, electronic-Injection
Engine Power (kw)	110
Emission	Euro III





Basic Equipments:

1. Front Ballistic Windshield
2. Driver and Co-driver's Ballistic Window Glass (Light SPC material)
3. Ballistic glasses for side windows (PC material)
4. Gun port in escort compartment window
5. Shooting (mailing) ports in diver and co-driver's windows (power up-and-down)
6. Front and rear ram bumpers
7. Air-conditioning system
8. ABS (anti-lock braking system)
9. Power control side mirrors
10. Color LCD monitoring system
11. Side tread board
12. Remote alarm, anti-theft and anti-hijacking system
13. Aluminum flooring in cash cabin
14. Power riot-proof sunroof
15. Power steering
16. Central locking system
17. Fire extinguisher
18. Fuse assembly for extra electrics
19. Radio/CD player

Quotation

Model	KHCK5021XYCR1
Dimension(mm)	4550 (4735) x 1840 x 1880 (1765)
Seating Capacity	5(4)person
Level	A
Drive & Fuel	4X2 Gasoline
CashcabinM ³	1.73
FOB Price ShangHai(USD)	50,100.00
Freight Reference(USD)	
CFR	
Quality Warranty	One year
Payment	30%TT in advance, 70% Irrvecoable L/C at sight
Delivery Date	4months after received the L/C at sight
Maintance	Under Quality Warranty because of vehicle problem, we could supply maintance service free
Spare pasrts	The buyer could buy extra spare parts or we supply this spare parts in a long time.

We give the buyer 1% Total Amount Discount for purchasing the Spare Parts

Mitsubishi Leopard



Technical Features

Product Code	KHCK5021XYCG	KHCK5020XYCG	KHCK5022XYCG
Chassis Mode	CFA6470M3 (4X2)	CFA6470L3 (4x4)	CFA2031A (4x4)
Base Vehicle Manufacturer	Hunan Changfeng, China (Mitsubishi Tech)		
Seating Capacity	5		
Dimensions (LxWxH)(mm)	4800 x 1830 x 1890		4830(4915) x 1895(1940) x 1885
Wheel Base(mm)	2725		2780
Wheel Tread(mm)(F/R)	1475/1485		1560/1560
Cash Cabin Volume (m ³)	0.925		
Full Loaded Weight (kg)	2500		2700
Curb Weight (kg)	1950	2040	2130
Load Capacity (kg)	550	460	570
Fuel Consumption (L/100km)	12.24		13
Min. Steering Dia. (m)	13		
Min. Ground Clearance (mm)	210		225
Engine Model	4G64S4M		6G72
Engine Type	MPI, water cooling gasoline engine	MPI, water colling, gasoline engine	V6, MPI, gasoline engine
Engine Power (kw)	92	92	117
Emission	Euro III		



Basic Equipments:

1. Front Ballistic Windshield
2. Driver and Co-driver's Ballistic Window Glass (Light SPC material)
3. Ballistic glasses for side windows (PC material)
4. LH side and RH side gun port in escort compartment windows
5. Central locking system
6. Air-conditioning system
7. Aluminum rims
8. Power steering
9. ABS
10. Side tread board
11. Color LCD monitoring system
12. Shooting (mailing) ports in diver and co-driver's windows (power)
13. Power riot-proof sunroof
14. Remote alarm, anti-theft and anti-hijacking system
15. Front and rear ram bumpers
16. Aluminum flooring of cash cabin
17. Rear secure door
18. Power side mirrors
19. Fuse assembly for extra electrics
20. Radio/CD player

Quotation

Model 1	KHCK5020XYCG
Dimension(mm)	4800 x 1830 x 1890
Seating Capacity	5person
Level	A
Drive & Fuel	4X4 Gasoline
CashcabinM ³	1.0
FOB Price ShangHai(USD)	47,600.00
Freight Reference(USD)	
CFR	
Model 2	KHCK5021XYCG
Dimension(mm)	4800 x 1830 x 1890
Seating Capacity	5person
Level	A
Drive&Fuel	4X2 Gasoline
CashcabinM ³	1.0
FOB Price ShangHai(USD)	46,400.00
Freight Reference(USD)	
CFR	
Model 3	KHCK5022XYCG
Dimension(mm)	4830(4915) x 1895(1940) x 1885
Seating Capacity	5person
Level	A
Drive&Fuel	4X4 Gasoline
CashcabinM ³	1.0
FOB Price ShangHai(USD)	55,500.00



Freight Reference(USD)	
CFR	
Quality Warranty	One year
Payment	30%TT in advance, 70% Irrevocable L/C at sight
Delivery Date	40months after received the L/C at sight
Maintance	Under Quality Warranty because of vehicle problem, we could supply maintance service free
Spare pasrts	The buyer could buy extra spare parts or we supply this spare parts in a long time.

We give the buyer 1% Total Amount Discount for purchasing the Spare Parts

2. Vans Serials

Ballistic Performance for passenger area Level A; anti-riot performance for cash cabin: Level B

IVECO

Technical Features

Product Code	KHCK5042XYCK1	KHCK5043XYCK1
Chassis Mode	NJ1047SDX6	
Base Vehicle Manufacturer	Iveco Nanjing, China	
Seating Capacity	5	
Dimensions (LxWxH)(mm)	5265(5465)x2080x2320	5500 x 2098 x 2425
Wheel Base(mm)	2800	
Wheel Tread(mm)(F/R)	1683/1540	
Cash Cabin Volume (m ³)	4.5	5.5
Full Loaded Weight (kg)	4450	
Curb Weight (kg)	3025	3170
Load Capacity (kg)	1425	1280
Fuel Consumption (L/100km)	9	
Min. Steering Dia. (m)	12	
Min. Ground Clearance (mm)	222	
Engine Model	SOFIM8140.43S3	
Engine Type	Water cooling, direct injection,diesel	
Engine Power (kw)	92	
Emission	Eruo III	

Basic Equipments:

1. Front Ballistic Windshield
2. Driver and Co-driver's Ballistic Window Glass (Light SPC material)
3. Ballistic glasses for side windows (PC material)
4. Observing hole in cash cabin sliding door
5. Central locking system
6. Overhead air-conditioning system
7. Power steering
8. Remote alarm, anti-theft and anti-hijacking system
9. Shooting (mailing) ports in driver and co-driver's windows (power)
10. Gun ports in left and right side of escort compartment windows
11. Color LCD monitoring system
12. Aluminum flooring of cash cabin
13. Single rear door with extra secure door
14. Four wheel disc brake
15. Fuse assembly for extra electrics
16. Radio/CD player



KHCK5042XYCK1 (Euro III)



KHCK5043XYCK1 (Euro III)



Quotation

Model 1	KHCK5042XYCK1
Dimension(mm)	5265(5465)x2080x2320
Seating Capacity	5person
Level	A
Drive & Fuel	4X2 Diesel
CashcabinM ³	5.4
FOB Price ShangHai(USD)	45,900.00
Freight Reference(USD)	
CFR	
Model 2	KHCK5043XYCK1
Dimension(mm)	5500 x 2098 x 2425
Seating Capacity	5person
Level	A
Drive & Fuel	4X2 Diesel
CashcabinM ³	5.4
FOB Price ShangHai(USD)	45,600.00
Freight Reference(USD)	
CFR	
Quality Warranty	One year
Payment	30%TT in advance, 70% Irrevocable L/C at sight
Delivery Date	4months after received the L/C at sight
Maintance	Under Quality Warranty because of vehicle problem, we could supply maintance service free
Spare pasrts	The buyer could buy extra spare parts or we supply this spare parts in a long time.

We give the buyer 1% Total Amount Discount for purchasing the Spare Parts

Seating capacity for 15 persons:



KHCK5030XYCE1M



KHCK5040XYCE1M

Technical Features:

Product Code	KHCK5040XYCE1M		KHCK5030XYCE1M	
Chassis Mode	JX6546DB-M		JX6546C-M	
Base Vehicle Manufacturer	Ford China JV (Jiangling Motors Co.)			
Seating Capacity	5			
Dimensions (LxWxH)(mm)	5418 x 1974 x 2228			
Wheel Base(mm)	3570			
Wheel Tread(mm)(F/R)	1692/1700			
Cash Cabin Volume (m ³)	3.5			
Full Loaded Weight (kg)	3510		3300	
Curb Weight (kg)	2150		2215	
Load Capacity (kg)	1360		1085	
Fuel Consumption (L/100km)	9		12.4	
Min. Steering Dia. (m)	13.8			
Min. Ground Clearance (mm)	165			
Engine Model	JX493ZLQ3		4G64S4N	
Engine Type	Water cooling, direct INjection, turbo chagrned diesel engine		Gasoline engine	
Engine Power (kw)	85		92	
Emission	Euro III			

Basic Equipments:

1. Front Ballistic Windshield
2. Driver and Co-driver's Ballistic Window Glass (Light SPC material)
3. Ballistic glasses for side windows (PC material)
4. Observing window in cash cabin sliding door.
5. Central locking system



- 6. Air-conditioning system
- 7. Power steering
- 8. Front and rear ram bumpers
- 9. Remote alarm, anti-theft and anti-hijacking system
- 10. Shooting (mailing) ports in driver and co-driver's windows (power)
- 11. Gun ports in left and right side of escort compartment windows
- 12. Color LCD monitoring system
- 13. Power riot-proof sunroof
- 14. Aluminum flooring of escort compartment
- 15. Aluminum flooring of cash cabin
- 16. Single rear door with secure door
- 17. Fuse assembly for extra electrics
- 18. Radio/CD player

Quotation

Model 1	KHCK5030XYCE1M
Dimension(mm)	5418 x 1974 x 2228
Seating Capacity	5person
Level	A
Drive & Fuel	4X2 Diesel
CashcabinM ³	3.5
FOB Price ShangHai(USD)	43,300.00
Freight Reference(USD)	
CFR	
Model	KHCK5040XYCE1M
Dimension(mm)	5418 x 1974 x 2228
Seating Capacity	5person
Level	A
Drive & Fuel	4X2 Diesel
CashcabinM ³	3.5
FOB Price ShangHai(USD)	44,300.00
Freight Reference(USD)	
CFR	
Quality Warranty	One year
Payment	30%TT in advance, 70% Irrevocable L/C at sight
Delivery Date	4months after received the L/C at sight
Maintance	Under Quality Warranty because of vehicle problem, we could supply maintance service free
Spare pasrts	The buyer could buy extra spare parts or we supply this spare parts in a long time.

We give the buyer 1% Total Amount Discount for purchasing the Spare Parts

Seating capacity for 12 persons

Technical Features:

Product Code	KHCK5041XYCE1L	KHCK5040XYCE1L
Chassis Code	JX6466DE-L	
Base Vehicle Manufacturer	Ford China JV	
Seating Capacity	5	5
Dimensions (LxWxH)(mm)	4666 (4866)x1974x2220	5040 (5240) x1974 x 2200
Wheel Base(mm)	2835	
Wheel Tread(mm)(F/R)	1692/1700	
Cash Cabin Volume (m ³)	1.75	3.1
Full Loaded Weight (kg)	3510	
Curb Weight (kg)	2145	2215
Load Capacity (kg)	1365	1295
Fuel Consumption (L/100km)	9	
Min. Steering Dia. (m)	11.3	
Min. Ground Clearance (mm)	165	
Engine Model	JX493ZLQ3	
Engine Type	Water cooling, direct injection, turbo charged diesel	
Engine Power (kw)	85	
Emission	Euro III	

Basic Equipments:

1. Front Ballistic Windshield
2. Driver and Co-driver's Ballistic Window Glass (Light SPC material)
3. Ballistic glasses for side windows (PC material)
4. Observing window in cash cabin sliding door.
5. Central locking system
6. Air-conditioning system
7. Power steering
8. Front and rear ram bumpers
9. Remote alarm, anti-theft and anti-hijacking system
10. Shooting (mailing) ports in driver and co-driver's windows (power)
11. Gun ports in left and right side of escort compartment windows
12. Color LCD monitoring system
13. Power riot-proof sunroof
14. Aluminum flooring of escort compartment
15. Aluminum flooring of cash cabin
16. Single rear door with secure door
17. Fuse assembly for extra electrics
18. Radio/CD player





KHCK5041XYCE1L

KHCK5040XYCE1L

Quotation

Model	KHCK5040XYCE1L
Dimension(mm)	5040 (5240) x1974 x 2200
Seating Capacity	5person
Level	A
Drive & Fuel	4X2 Diesel
CashcabinM ³	3.1
FOB Price ShangHai(USD)	40,000.00
Freight Reference(USD)	
CFR	
Model	KHCK5041XYCE1L
Dimension(mm)	4666 (4866)x1974x2220
Seating Capacity	5person
Level	A
Drive & Fuel	4X2 Diesel
CashcabinM ³	1.75
FOB Price ShangHai(USD)	44,100.00
Freight Reference(USD)	
CFR	
Quality Warranty	One year
Payment	30%TT in advance, 70% Irrevocable L/C at sight
Delivery Date	4months after received the L/C at sight
Remark: One 40" HQ could load 2sets this kind of vehicle	
Maintance	Under Quality Warranty because of vehicle problem, we could supply maintance service free
Spare pasrts	The buyer could buy extra spare parts or we supply this spare parts in a long time.

We give the buyer 1% Total Amount Discount for purchasing the Spare Parts

For Dual Rear Wheels:

Technical Features

Product Code	KHCK5041XYCE2
Chassis Mode	JX1049DL2
Base Vehicle Manufacturer	Ford China JV
Seating Capacity	5
Dimensions (LxWxH)(mm)	5605 X 1974 X 2300
Wheel Base(mm)	3570
Wheel Tread(mm)(F/R)	1700/1645
Cash Cabin Volume (m ³)	4.8
Full Loaded Weight (kg)	4000
Curb Weight (kg)	2610
Load Capacity (kg)	1390
Fuel Consumption (L/100km)	9
Min. Steering Dia. (m)	13.8
Min. Ground Clearance (mm)	160
Engine Model	JX493ZLQ3
Engine Type	Water cooling, direct injection, turbo-charged diesel engine
Engine Power (kw)	85
Emission	Euro III

Basic Equipments:

1. Front Ballistic Windshield
2. Driver and Co-driver's Ballistic Window Glass (Light SPC material)
3. Ballistic glasses for side windows (PC material)
4. Observing window in cash cabin sliding door.
5. Central locking system
6. Air-conditioning system
7. Power steering
8. Front and rear ram bumpers
9. Remote alarm, anti-theft and anti-hijacking system
10. Shooting (mailing) ports in driver and co-driver's windows (power)
11. Gun ports in left and right side of escort compartment windows
12. Color LCD monitoring system
13. Power riot-proof sunroof
14. Aluminum flooring of escort compartment
15. Aluminum flooring of cash cabin
16. Single rear door with secure door
17. Fuse assembly for extra electrics
18. Radio/CD player



KHCK5041XYCE2

Quotation

Model	KHCK5041XYCE2
Dimension(mm)	5605 X 1974 X 2300
Seating Capacity	5person
Level	A
Drive & Fuel	4X2 Diesel
CashcabinM ³	4.8
FOB Price ShangHai(USD)	41,300.00
Freight Reference(USD)	
CFR	
Quality Warranty	One year
Payment	30%TT in advance, 70% Irrvecoable L/C at sight
Delivery Date	4months after received the L/C at sight
Remark: One 40" HQ could load 2sets this kind of vehicle	
Maintance	Under Quality Warranty because of vehicle problem, we could supply maintance service free
Spare pasrts	The buyer could buy extra spare parts or we supply this spare parts in a long time.

We give the buyer 1% Total Amount Discount for purchasing the Spare Parts

3. Trucks

Ballistic Performance for passenger area: Level B; anti-riot performance for cash cabin: Level C

Benz Trucks



KHCK5171XYCEH1



KHCK5130XYCEH1

Technical Features:

Product Code	KHCK5171XYCEH1	KHCK5130XYCEH1
Chassis Mode	Axor 1828	Atego 1328
Base Vehicle Manufacturer	Daimler-Chrysler	
Seating Capacity	3	3
Dimensions (LxWxH)(mm)	8040 x 2488 x 3190	7420 x 2490 x 2930
Wheel Base(mm)	4500	4160
Wheel Tread(mm)(F/R)	2053/1802	1975/1838
Cash Cabin Volume (m ³)	22.8	20.2
Full Loaded Weight (kg)	17000	13000
Curb Weight (kg)	8440 / 8805	7460 / 7760
Load Capacity (kg)	8560 / 8195	5540 / 5420
Fuel Consumption (L/100km)	30	28
Min. Steering Dia. (m)	15.5	11
Min. Ground Clearance (mm)	234	215
Engine Model	OM906LA	
Engine Type	4x2 rear driven, 6 cylinder, water cooling, turbo-charged diesel engine	
Engine Power (kw)	205	
Emission	Euro III	

Basic Equipments:

Front ballistic windshield glass (light PC plate)
Ballistic glasses of cab windows (light PC plate)
Remote alarm, anti-theft system
Imported sunroof



Automatic cruise control system
Original ABS
Fire extinguisher
Color LCD monitoring
Air-conditioning system
Driver and co-driver ballistic glass lifter
Telligent maintenance system

Quotation

Model 1	KHCK5171XYCEH1
Dimension(mm)	8040 x 2488 x 3190
Seating Capacity	3person
Level	C
Drive & Fuel	4X2 Diesel
CashcabinM ³	22.8
FOB Price ShangHai(USD)	210,700.00
Freight Reference(USD)	
CFR	
Model 2	KHCK5130XYCEH1
Dimension(mm)	7420 x 2490 x 2930
Seating Capacity	3person
Level	C
Drive & Fuel	4X2 Diesel
CashcabinM ³	20.2
FOB Price ShangHai(USD)	174,940.00
Freight Reference(USD)	
CFR	
Quality Warranty	One year
Payment	30%TT in advance, 70% Irrvecoable L/C at sight
Delivery Date	4months after received the L/C at sight
Remark: One 40" HQ could load 2sets this kind of vehicle	
Maintance	Under Quality Warranty because of vehicle problem, we could supply maintance service free
Spare pasrts	The buyer could buy extra spare parts or we supply this spare parts in a long time.

We give the buyer 1% Total Amount Discount for purchasing the Spare Parts

Isuzu Trucks



Technical Features

Product Code	KHCK5160XYCF3
Chassis Mode	FVR34J2
Base Vehicle Manufacturer	Chongqing Isuzu, China
Seating Capacity	3
Dimensions (LxWxH)(mm)	8050 x 2460 x 3170
Wheel Base(mm)	4500
Wheel Tread(mm)(F/R)	1960/1855
Cash Cabin Volume (m ³)	22
Full Loaded Weight (kg)	15000
Curb Weight (kg)	9590
Load Capacity (kg)	5410
Fuel Consumption (L/100km)	21
Min. Steering Dia. (m)	15
Min. Ground Clearance (mm)	255
Engine Model	6HK1
Engine Type	6 Cylinders, Water cooling, turbo charged diesel engine
Engine Power (kw)	169
Emission	Euro III

Basic Equipments:

1. Front Ballistic Windshield
2. Driver and Co-driver's Ballistic Window Glass (Light SPC material)



3. Ballistic glasses for side windows (PC material)
4. Power hydraulic tilting structure for driving cab
5. Shooting (mailing) ports in diver and co-driver's windows (power)
6. Shooting ports in left and right side of escort compartment
7. Central locking system
8. Air-conditioning system
9. Aluminum decoration of cash cabin floor
10. Manual sunroof for ventilation and life escaping
11. Color LCD monitoring system
12. Remote alarm, anti-theft and anti-hijacking system
13. Front ram bumpers

Quotation

Model	KHCK5160XYCF3
Dimension(mm)	8050 x 2460 x 3170
Seating Capacity	3person
Level	C
Drive & Fuel	4X2 Diesel
CashcabinM ³	22
FOB Price ShangHai(USD)	104,625.00
Freight Reference(USD)	
CFR	
Quality Warranty	One year
Payment	30%TT in advance, 70% Irrvecoable L/C at sight
Delivery Date	4months after received the L/C at sight
Maintance	Under Quality Warranty because of vehicle problem, we could supply maintance service free
Spare pasrts	The buyer could buy extra spare parts or we supply this spare parts in a long time.

We give the buyer 1% Total Amount Discount for purchasing the Spare Parts